

Wayland High School




MATERIALS LEGEND:

	PROPERTY LINE
	LIMIT OF WORK
	VEHICULAR BITUMINOUS CONCRETE PAVEMENT
	PEDESTRIAN BITUMINOUS CONCRETE PAVEMENT
	BITUMINOUS CONCRETE WITH COLOR SEALCOAT, TYP.
	BVCL FENCE
	VERTICAL GRANITE CURB, TYP.
	SEGMENTAL BLOCK RETAINING WALL
	PICNIC BENCH
	TEAM BENCH
	TRUNK GRATE
	SPORTS LIGHTING
	SPORTS LIGHTING WITH PEDESTRIAN LIGHTING, SEE ELECTRICAL DRAWINGS
	PEDESTRIAN LIGHTING
	CONCRETE PAVEMENT
	TRUNK SIGN

MAINTENANCE GATE, 12'-WIDE
 BVCL DOUBLE SWING GATE, TYP.
 TENNIS NET TIE DOWN, TYP.
 TENNIS NET POST FOOTING, TYP.
 TENNIS COURT STRIPING LAYOUT, TYP.
 10'x11' BVCL FENCE, TYP.
 SPORTS LIGHTING, TYP. SEE ELECTRICAL DRAWINGS

TREE GRATE, TYP.
 SPORTS LIGHTING WITH PEDESTRIAN LIGHTING, SEE ELECTRICAL DRAWINGS
 MAINTENANCE GATE, 12'-WIDE BVCL DOUBLE SWING GATE, TYP.
 PICNIC BENCH, TYP. SEE SPECIFICATIONS
 CONCRETE PAVEMENT, TYP.
 SEGMENTAL BLOCK RETAINING WALL, TYP.

TEAM BENCH ON CONCRETE PAD, TYP., SEE SPECIFICATIONS
 BASKETBALL COURT STRIPING LAYOUT, TYP.
 SPORTS LIGHTING AT BASKETBALL COURTS, TYP. SEE ELECTRICAL DRAWINGS
 BASKETBALL GOAL, POST AND FOOTING, TYP.



MATERIALS LEGEND:

---	PROPERTY LINE
---	LIMIT OF WORK
	VEHICULAR BITUMINOUS CURBSIDE PAVEMENT
	PEDESTRIAN BITUMINOUS CONCRETE PAVEMENT
	BITUMINOUS CONCRETE WITH COLOR SEALCOAT, TYP.
---	BIOL. FENCE
---	VERTICAL GRANITE CURB, TYP.
	SEGMENTAL BLOCK RETAINING WALL
	PAVED BENCH
	TEAM BENCH
	TREE GRATE
	SPORTS LIGHTING
	SPORTS LIGHTING WITH PEDESTRIAN LIGHTING
	PEDESTRIAN LIGHTING
	CONCRETE PAVEMENT
	TRAFFIC SIGN

MAINTENANCE GATE, 12' WIDE
BIOL. DOUBLE SWING GATE, TYP.
TENNIS NET 15' LATERAL, TYP.
TENNIS NET POST FOOTING, TYP.
TENNIS COURT STRIKING LAYOUT, TYP.
HARD, BIOL. TRACK, TYP.
SPORTS LIGHTING, TYP. SEE ELECTRICAL DRAWINGS


TREE GRATE, TYP.
SPORTS LIGHTING WITH PEDESTRIAN LIGHTING ELECTRICAL DRAWINGS
MAINTENANCE GATE, 12' WIDE
BIOL. DOUBLE SWING GATE, TYP.
PAVED BENCH, TYP. SEE SPECIFICATIONS
CONCRETE PAVEMENT, TYP.
SEGMENTAL BLOCK RETAINING WALL, TYP.


TEAM BENCH ON CONCRETE AND, TYP. SEE SPECIFICATIONS
BACKSTREET COURT STRIKING LAYOUT, TYP.
SPORTS LIGHTING AT BACKSTREET COURTS, TYP. SEE ELECTRICAL DRAWINGS
BACKSTREET GOAL POST AND FOOTING, TYP.



COMMENTS FOR RELOCATING PUBLIC PARKING LOT

- Entrance / exit to public parking would have an increased 'ease of access' if located directly off Old Connecticut Path and not off the main entry drive to the school especially when school is letting out.
- Parking lot should be expanded if relocated (to the south) to about 45 spaces and its location would also serve the Weston Aqueduct Trail
- Fencing and Lighting for all the courts (Tennis and Basketball) could be consolidated and simplified to reduce overall costs and to reduce the visual impact.





15' BETWEEN FENCES
FOR EMERGENCY
ACCESS.

SOFTBALL FIELD

DISCUS
THROWING
CIRCLE

SHOT
PUT
CIRCLE

FEMA FLOODPLAIN


WELL HEAD
PROTECTION BUFFER

10' FROM BUFFER

COMMENTS REGARDING SOFTBALL FIELD

- Wherever possible emergency access should be provided throughout the entire facility. If the field location were to shift slightly west by 10+/- feet, it would provide a 15' wide opening between the outfield fence and the track fence.
- Softball field is replacing 4 tennis courts creating a large reduction in hard surface area which is in close proximity to wellhead protection buffer. The reduction should offset shifting the backstop fence to within 10' of the protection buffer.
- 15' space between fencing is more appealing as a pedestrian passage as well as allowing emergency access.

No.	Date	Description



1 HOME BLEACHER AND ADA ACCESSIBLE RAMP FOUNDATION LAYOUT
SCALE: SEE





Accessibility Lift

This Accessibility Lift has been installed to be used by:

MOBILITY IMPAIRED PERSONS

NO FREIGHT

The capacity of this lift is:

750 lbs.

(340 kgs.)

If you cannot access the lift or experience other problems, please contact the building / equipment owner. If problems are not resolved, contact the local Accessibility Contractor listed below:

UNITED ELEVATOR CO
HINGHAM, MA
PH: (781) 740-2440

This lift was manufactured by the following **Accessibility Equipment Manufacturers Association (AEMA)** member:

National Wheel-O-Vator

A Division of ThyssenKrupp Access
309-923-7803

