

May 18, 2020

55 Walkers Brook Drive, Suite 100, Reading, MA 01867
Tel: 978.532.1900

Linda Hansen
Conservation Administrator
Town of Wayland
41 Cochituate Road
Wayland, MA 01778

Re: Order of Conditions and Chapter 194 Permit for 264 Old Connecticut Path, Wayland MA
April 2020 Water Quality Results
DEP File #: 322-928

Dear Ms. Hansen:

Pursuant of the Town of Wayland's request, Weston & Sampson Engineers, Inc. (Weston & Sampson) is pleased to provide a summary of water quality results from the monthly sampling round performed in April at the Wayland High School Athletic Facilities in Wayland, Massachusetts. As discussed in our initial baseline sampling report, the sampling and subsequent reporting was developed to comply with the Order of Conditions (OOC) letter issued by the Wayland Conservation Commission on November 16, 2018. Per the Order of Conditions, Weston & Sampson was instructed to sample from existing monitoring well locations (MW-1 and MW-5), all available cleanout locations (Cleanout 1, Cleanout 2, Cleanout 3 and Cleanout 4) and the overflow discharge pipe (Figure 1) for the following compounds: total benzene, arsenic, styrene, cadmium, chromium, copper, lead, silica, zinc, hardness and Semi Volatile Organic Compounds (SVOCs), including the phthalates BBP, DBP, and DEHP. After extensive research, it was discovered that DIBP, one of the requested phthalates is not being tested for in commercial laboratories due to the discontinuation of EPA's Integrated Risk Information System (IRIS). As a result, no toxicity value is available, and the compound was not sampled for in this study.

At the request of the town, Weston & Sampson mobilized to Wayland High School on December 30th, 2019 to collect water quality results for the month of December. The sampling protocol was conducted using the following methodology. In an effort to obtain a representative sample, three (3) well volumes were purged using a Waterra hydralift pump and high density polyethylene (HDPE) tubing to remove stagnant water from the well immediately prior to sampling in accordance with EPA standards. Groundwater was then sampled using the Waterra hydralift pump from the HDPE tubing. The samples collected for the April 2020 round of sampling include:

- Monitoring wells MW-1 and MW-5
- The overflow discharge pipe. Samples from the discharge pipe were collected directly with the standard sampling container(s) from the overflow of the discharge pipe.
- Cleanout locations (Cleanout 1, Cleanout 2, Cleanout 3 and Cleanout 4). Samples from the cleanout locations were taken using a masterflex peristaltic pump and low density polyethylene (LDPE) tubing. Samples were collected directly from the LDPE tubing.

No samples were collected from the Cleanout Location 3 due to an insufficient amount of water.

The samples were collected by a qualified Weston & Sampson technician and analyzed by a Massachusetts and EPA certified laboratory, Alpha Analytical (Alpha). All sample results collected are summarized in Table 1 (Attachment A) and compared to the National Ambient Water Quality Criteria of MCP Method 1 GW-3. The laboratory report can be found in Attachment B.

The compounds detected at **MW-1** include Copper (0.00131 mg/l), Silica (10.5 mg/l), and Hardness (111 mg/l). Benzene, Styrene, Arsenic, Cadmium, Chromium, Lead, Zinc and all SVOC's were not detected. **All detections are below Method 1- GW-3 Standards.**

The compounds detected at **MW-5** include Arsenic (0.02023 mg/l), Cadmium (0.00031 mg/l), Chromium (0.02520 mg/l), Copper (0.04852 mg/l), Lead (0.01720 mg/l), Silica (55.3 mg/l), Zinc (0.056 mg/l) and Hardness (280 mg/l). Benzene, Styrene, Cadmium, Zinc and all SVOC's were not detected. **All detections are below Method 1- GW-3 Standards except for Lead. The concentration of Lead exceeds the listed standard (0.01mg/l) by 0.0072 mg/l.** Although, the current concentration of Lead (0.01720 mg/l) is less than the concentration from the baseline sampling round performed in September 2019 (0.056 mg/l).

The compounds detected the **discharge pipe** include Copper (0.00137 mg/l), Silica (5.46 mg/l), and Hardness (104 mg/l). Benzene, Styrene, Arsenic, Cadmium, Chromium, Lead, Zinc and all SVOC's were not detected. **All detections are below Method 1- GW-3 Standards.**

The compounds detected at **Cleanout Location 1** include Arsenic (0.0005 mg/l), Silica (1.35 mg/l), Zinc (0.02697 mg/l) and Hardness (18.7 mg/l). Benzene, Styrene, Cadmium, Chromium, Copper, Lead, and all SVOC's, were not detected. **All detections are below Method 1- GW-3 Standards.**

The compounds detected at **Cleanout Location 2** include Arsenic (0.0007 mg/l), Silica (1.64 mg/l), Zinc (0.03587 mg/l) and Hardness (20.5 mg/l). Benzene, Styrene, Cadmium, Chromium, Copper, Lead, and all SVOC's, were not detected. **All detections are below Method 1- GW-3 Standards.**

The compounds detected at **Cleanout Location 3** include Arsenic (0.00108 mg/l), Silica (2.33 mg/l), and Hardness (23.9 mg/l). Benzene, Styrene, Cadmium, Chromium, Copper, Lead, Zinc and all SVOC's, were not detected. **All detections are below Method 1- GW-3 Standards.**

The compounds detected at **Cleanout Location 4** include Arsenic (0.00122 mg/l), Silica (2.97 mg/l), and Hardness (28.9 mg/l). Benzene, Styrene, Cadmium, Chromium, Copper, Lead, Zinc and all SVOC's, were not detected. **All detections are below Method 1- GW-3 Standards.**

Please feel free to call the undersigned if you have any questions.

Sincerely,

WESTON & SAMPSON ENGINEERS, INC.




Kevin MacKinnon, P.G., C.G., PH-GW
Senior Technical Leader, Hydrogeology

Attachments/Enclosures






- Figures
- Attachment A – Table 1: Water Quality Results
- Attachment B – Laboratory Report of December Quality Results

cc: Ben Keefe, Town of Wayland Facilities Director
Brandon Kunkel, Weston & Sampson

Figures



Legend

-  Cleanout Locations
-  Overflow Discharge Pipe
-  Artificial Turf Field
-  Monitoring Well
-  Community Groundwater Source





FIGURE 1	
TOWN OF WAYLAND WAYLAND HIGH SCHOOL	
SITE MAP	
APRIL 2020	SCALE: NOTED
	

Attachment A

Table 1

Well I.D.	Date Collected	Metals									Volatile Organic Compounds		Semi-Volatile Organic Compunds																
		Total Arsenic	Total Cadmium	Total Chromium	Total Copper	Total Lead	Total Silica	Total Zinc	Hardness	Benzene	Styrene	Acenaphthene	Benzidine	1,2,4-Trichlorobenzene	Hexachlorobenzene	Bis(2-chloroethyl)ether	2-Chloronaphthalene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	3,3'-Dichlorobenzidine	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Azobenzene	Fluoranthene	4-Chlorophenyl phenyl ether	4-Bromophenyl phenyl ether	Bis(2-chloroisopropyl)ether	Bis(2-chloroethoxy)methane
Method 1- GW-3 Standards (310 CMR 40.0974(2): Table 1	mg/l	0.9	0.004	0.3	Not Listed	0.01	Not Listed	0.9	Not Listed	10	6	10	Not Listed	50	6	50	Not Listed	2	50	8	2	50	Not Listed	Not Listed	0.2	Not Listed	Not Listed	50	Not Listed
Massachusetts Maximum Contaminant Level (MMCLs)/Secondary Contaminant Level (SMCLs) ¹	mg/l	0.01	0.01	0.1	1.3	0.015	Not Listed	5	Not Listed	0.01	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
MW-1	09/26/19	0.047	ND	0.083	0.12	0.04	114	0.13	155	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/30/19	0.02304	0.00022	0.02742	0.06543	0.01972	48.2	0.04325	127	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	0.00195	ND	0.0025	0.00646	0.00196	12.5	ND	82.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	0.00699	ND	0.01043	0.05741	0.00677	27.6	0.03923	121	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	0.00131	ND	10.5	ND	111	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5	09/26/19	0.051	ND	0.048	0.16	0.056	98.4	0.15	301	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/30/19	0.009	ND	0.01103	0.02287	0.00753	33.6	0.028	250	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	0.00404	ND	0.00374	0.00978	0.00479	50	0.01518	276	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	0.00249	ND	0.00393	0.00563	0.00216	29	ND	254	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	0.02023	0.00031	0.02520	0.04852	0.01720	55.3	0.056	280	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Discharge Pipe	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	0.00298	ND	0.043	0.00856	0.01175	7.8	0.2596	72.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	ND	ND	ND	ND	ND	5.29	ND	104	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	5.01	0.02353	104	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	0.00137	ND	5.46	ND	104	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 1	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	0.00135	ND	ND	0.00122	ND	2.6	0.01807	31.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	*	*	*	*	*	*	*	*	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	0.0005	ND	ND	ND	ND	1.35	0.02697	18.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 2	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	0.00085	ND	ND	ND	ND	1.76	ND	21.3	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	0.00068	ND	ND	ND	ND	1.45	0.0195	17.4	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	0.00070	ND	ND	ND	ND	1.64	0.03587	20.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 3	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	03/26/20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	04/22/20	0.00108	ND	ND	ND	ND	2.33	ND	23.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 4	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	0.00171	ND	ND	0.00224	ND	3.68	0.01728	35.6	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	0.00114	ND	0.00144	ND	ND	2.81	0.07212	32.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	0.00122	ND	ND	ND	ND	2.97	ND	28.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

1. Drinking Water Standards
2. All results recorded in mg/l
3. NS- Not Sampled
4. ND- Not Detected
5. *- Insufficient amount of water for sample

Table 1

Well I.D.	Date Collected	Semi-Volatile Organic Compounds																								
		1-Methylnaphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Dibenzofuran	2-Methylnaphthalene	n-Nitrosodimethylamine	2,4,6-Trichlorophenol	p-Chloro-m-cresol	2-Chlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2-Nitrophenol	4-Nitrophenol	2,4-Dinitrophenol	4,6-Dinitro-o-cresol	Pentachlorophenol	Phenol	2-Methylphenol	3-Methylphenol/4-Methylphenol	2,4,5-Trichlorophenol	Benzoic Acid	Benzyl Alcohol	Carbazole	Pyridine
Method 1- GW-3 Standards (310 CMR 40.0974(2): Table 1	mg/l	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	20	Not Listed	0.5	Not Listed	7	2	50	Not Listed	Not Listed	20	Not Listed	0.2	2	Not Listed	Not Listed	3	Not Listed	Not Listed	Not Listed	Not Listed
Massachusetts Maximum Contaminant Level (MMCLs)/Secondary Contaminant Level (SMCLs) ¹	mg/l	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	
MW-1	09/26/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/30/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5	09/26/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/30/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Discharge Pipe	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 1	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 2	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 3	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	03/26/20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cleanout 4	09/26/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	12/30/19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	02/28/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/26/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	04/22/20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

1. Drinking Water Standards
2. All results recorded in mg/l
3. NS- Not Sampled
4. ND- Not Detected
5. *- Insufficient amount of water for sample

Attachment B



ANALYTICAL REPORT

Lab Number:	L2016706
Client:	Weston & Sampson 55 Walkers Brook Drive Suite 100 Reading, MA 01867
ATTN:	Kevin MacKinnon
Phone:	(978) 532-1900
Project Name:	WAYLAND HIGH SCHOOL
Project Number:	ENG20-0296
Report Date:	04/29/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2016706-01	MW-1	WATER	WAYLAND, MA	04/22/20 10:40	04/22/20
L2016706-02	MW-5	WATER	WAYLAND, MA	04/22/20 09:45	04/22/20
L2016706-03	DISCHARGE PIPE	WATER	WAYLAND, MA	04/22/20 10:55	04/22/20
L2016706-04	CLEANOUT 1	WATER	WAYLAND, MA	04/22/20 11:15	04/22/20
L2016706-05	CLEANOUT 2	WATER	WAYLAND, MA	04/22/20 11:40	04/22/20
L2016706-06	CLEANOUT 3	WATER	WAYLAND, MA	04/22/20 12:05	04/22/20
L2016706-07	CLEANOUT 4	WATER	WAYLAND, MA	04/22/20 12:35	04/22/20
L2016706-08	TB-01	WATER	WAYLAND, MA	04/22/20 00:00	04/22/20

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Case Narrative (continued)

Semivolatile Organics

L2016706-06: The sample has elevated detection limits due to limited sample volume available for analysis. The WG1364022-2/-3 LCS/LCSD recoveries, associated with L2016706-04 and -07, were outside the acceptance criteria for individual target compounds; however, re-extraction could not be performed due to lack of additional sample. The results of the original analyses are reported; however, all results are considered to have a potentially low bias for benzidine (0%/0%), 3,3'-dichlorobenzidine (LCSD at 0%), aniline (LCSD at 0%), and pyridine (LCSD at 0%).


The WG1364446-2/-3 LCS/LCSD recoveries, associated with L2016706-01, -02, -03, -05, and -06, are below the acceptance criteria for benzidine (4%/5%) and benzoic acid (0%/0%); however, they have been identified as "difficult" analytes. The results of the associated samples are reported.

Total Metals

The WG1363876-3 MS recovery for silica (65%), performed on L2016706-01, does not apply because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Michelle M. Morris

Title: Technical Director/Representative

Date: 04/29/20

ORGANICS

VOLATILES

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-01
Client ID: MW-1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 11:50
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	99		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-02
Client ID: MW-5
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 09:45
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 12:12
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	100		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-03
Client ID: DISCHARGE PIPE
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:55
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 12:34
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	98		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-04
Client ID: CLEANOUT 1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:15
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 12:55
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	95		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-05
Client ID: CLEANOUT 2
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 13:17
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	99		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-06
Client ID: CLEANOUT 3
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:05
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 13:38
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	100		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-07
Client ID: CLEANOUT 4
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:35
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 14:00
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	100		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-08
Client ID: TB-01
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 00:00
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 04/24/20 14:22
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Benzene	ND		ug/l	0.50	--	1
Styrene	ND		ug/l	1.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	99		70-130

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 04/24/20 08:15
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1364576-5					
Benzene	ND		ug/l	0.50	--
Styrene	ND		ug/l	1.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis**Batch Quality Control****Project Name:** WAYLAND HIGH SCHOOL**Project Number:** ENG20-0296**Lab Number:** L2016706**Report Date:** 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1364576-3 WG1364576-4								
Benzene	96		96		70-130	0		25
Styrene	105		105		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	101		99		70-130
Toluene-d8	99		99		70-130
4-Bromofluorobenzene	100		97		70-130
Dibromofluoromethane	101		98		70-130

SEMIVOLATILES

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-01
Client ID: MW-1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/28/20 05:49
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS****Lab ID:** L2016706-01**Date Collected:** 04/22/20 10:40**Client ID:** MW-1**Date Received:** 04/22/20**Sample Location:** WAYLAND, MA**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-01
Client ID: MW-1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	78		21-120
Phenol-d6	65		10-120
Nitrobenzene-d5	60		23-120
2-Fluorobiphenyl	63		15-120
2,4,6-Tribromophenol	88		10-120
4-Terphenyl-d14	74		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-02
Client ID: MW-5
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 09:45
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/28/20 06:15
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-02
Client ID: MW-5
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 09:45
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-02
Client ID: MW-5
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 09:45
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	79		21-120
Phenol-d6	65		10-120
Nitrobenzene-d5	63		23-120
2-Fluorobiphenyl	63		15-120
2,4,6-Tribromophenol	94		10-120
4-Terphenyl-d14	77		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-03
Client ID: DISCHARGE PIPE
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:55
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/28/20 06:42
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-03
Client ID: DISCHARGE PIPE
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:55
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-03
Client ID: DISCHARGE PIPE
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 10:55
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	68		21-120
Phenol-d6	58		10-120
Nitrobenzene-d5	52		23-120
2-Fluorobiphenyl	55		15-120
2,4,6-Tribromophenol	80		10-120
4-Terphenyl-d14	64		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-04
Client ID: CLEANOUT 1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:15
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/24/20 21:34
Analyst: ALS

Extraction Method: EPA 3510C
Extraction Date: 04/23/20 17:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-04
Client ID: CLEANOUT 1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:15
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-04
Client ID: CLEANOUT 1
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:15
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		21-120
Phenol-d6	45		10-120
Nitrobenzene-d5	67		23-120
2-Fluorobiphenyl	65		15-120
2,4,6-Tribromophenol	68		10-120
4-Terphenyl-d14	72		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-05
Client ID: CLEANOUT 2
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/27/20 21:05
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-05
Client ID: CLEANOUT 2
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-05
Client ID: CLEANOUT 2
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 11:40
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	69		21-120
Phenol-d6	59		10-120
Nitrobenzene-d5	82		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	73		10-120
4-Terphenyl-d14	87		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-06
Client ID: CLEANOUT 3
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:05
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/27/20 21:28
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	7.8	--	1
Benzidine	ND		ug/l	78	--	1
1,2,4-Trichlorobenzene	ND		ug/l	20	--	1
Hexachlorobenzene	ND		ug/l	7.8	--	1
Bis(2-chloroethyl)ether	ND		ug/l	7.8	--	1
2-Chloronaphthalene	ND		ug/l	7.8	--	1
1,2-Dichlorobenzene	ND		ug/l	7.8	--	1
1,3-Dichlorobenzene	ND		ug/l	7.8	--	1
1,4-Dichlorobenzene	ND		ug/l	7.8	--	1
3,3'-Dichlorobenzidine	ND		ug/l	20	--	1
2,4-Dinitrotoluene	ND		ug/l	20	--	1
2,6-Dinitrotoluene	ND		ug/l	20	--	1
Azobenzene	ND		ug/l	7.8	--	1
Fluoranthene	ND		ug/l	7.8	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	7.8	--	1
4-Bromophenyl phenyl ether	ND		ug/l	7.8	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	7.8	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	20	--	1
Hexachlorobutadiene	ND		ug/l	7.8	--	1
Hexachlorocyclopentadiene	ND		ug/l	78	--	1
Hexachloroethane	ND		ug/l	7.8	--	1
Isophorone	ND		ug/l	20	--	1
Naphthalene	ND		ug/l	7.8	--	1
Nitrobenzene	ND		ug/l	7.8	--	1
NDPA/DPA	ND		ug/l	7.8	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	20	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	12	--	1
Butyl benzyl phthalate	ND		ug/l	20	--	1

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-06
 Client ID: CLEANOUT 3
 Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:05
 Date Received: 04/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	20	--	1
Di-n-octylphthalate	ND		ug/l	20	--	1
Diethyl phthalate	ND		ug/l	20	--	1
Dimethyl phthalate	ND		ug/l	20	--	1
Benzo(a)anthracene	ND		ug/l	7.8	--	1
Benzo(a)pyrene	ND		ug/l	7.8	--	1
Benzo(b)fluoranthene	ND		ug/l	7.8	--	1
Benzo(k)fluoranthene	ND		ug/l	7.8	--	1
Chrysene	ND		ug/l	7.8	--	1
Acenaphthylene	ND		ug/l	7.8	--	1
Anthracene	ND		ug/l	7.8	--	1
Benzo(ghi)perylene	ND		ug/l	7.8	--	1
Fluorene	ND		ug/l	7.8	--	1
Phenanthrene	ND		ug/l	7.8	--	1
Dibenzo(a,h)anthracene	ND		ug/l	7.8	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	7.8	--	1
Pyrene	ND		ug/l	7.8	--	1
Biphenyl	ND		ug/l	7.8	--	1
Aniline	ND		ug/l	7.8	--	1
4-Chloroaniline	ND		ug/l	20	--	1
1-Methylnaphthalene	ND		ug/l	7.8	--	1
2-Nitroaniline	ND		ug/l	20	--	1
3-Nitroaniline	ND		ug/l	20	--	1
4-Nitroaniline	ND		ug/l	20	--	1
Dibenzofuran	ND		ug/l	7.8	--	1
2-Methylnaphthalene	ND		ug/l	7.8	--	1
n-Nitrosodimethylamine	ND		ug/l	7.8	--	1
2,4,6-Trichlorophenol	ND		ug/l	20	--	1
p-Chloro-m-cresol	ND		ug/l	7.8	--	1
2-Chlorophenol	ND		ug/l	7.8	--	1
2,4-Dichlorophenol	ND		ug/l	20	--	1
2,4-Dimethylphenol	ND		ug/l	20	--	1
2-Nitrophenol	ND		ug/l	39	--	1
4-Nitrophenol	ND		ug/l	39	--	1
2,4-Dinitrophenol	ND		ug/l	78	--	1
4,6-Dinitro-o-cresol	ND		ug/l	39	--	1
Pentachlorophenol	ND		ug/l	39	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-06
Client ID: CLEANOUT 3
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:05
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	20	--	1
2-Methylphenol	ND		ug/l	20	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	20	--	1
2,4,5-Trichlorophenol	ND		ug/l	20	--	1
Benzoic Acid	ND		ug/l	200	--	1
Benzyl Alcohol	ND		ug/l	7.8	--	1
Carbazole	ND		ug/l	7.8	--	1
Pyridine	ND		ug/l	14	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	85		21-120
Phenol-d6	89		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	75		10-120
4-Terphenyl-d14	89		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-07
Client ID: CLEANOUT 4
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:35
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 04/29/20 08:46
Analyst: ALS

Extraction Method: EPA 3510C
Extraction Date: 04/23/20 17:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	1
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Hexachlorobenzene	ND		ug/l	2.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
2-Chloronaphthalene	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
Fluoranthene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorobutadiene	ND		ug/l	2.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Hexachloroethane	ND		ug/l	2.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-07
Client ID: CLEANOUT 4
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:35
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Benzo(a)anthracene	ND		ug/l	2.0	--	1
Benzo(a)pyrene	ND		ug/l	2.0	--	1
Benzo(b)fluoranthene	ND		ug/l	2.0	--	1
Benzo(k)fluoranthene	ND		ug/l	2.0	--	1
Chrysene	ND		ug/l	2.0	--	1
Acenaphthylene	ND		ug/l	2.0	--	1
Anthracene	ND		ug/l	2.0	--	1
Benzo(ghi)perylene	ND		ug/l	2.0	--	1
Fluorene	ND		ug/l	2.0	--	1
Phenanthrene	ND		ug/l	2.0	--	1
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--	1
Pyrene	ND		ug/l	2.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
1-Methylnaphthalene	ND		ug/l	2.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
2-Methylnaphthalene	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Pentachlorophenol	ND		ug/l	10	--	1

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

SAMPLE RESULTS

Lab ID: L2016706-07
Client ID: CLEANOUT 4
Sample Location: WAYLAND, MA

Date Collected: 04/22/20 12:35
Date Received: 04/22/20
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	79		21-120
Phenol-d6	70		10-120
Nitrobenzene-d5	104		23-120
2-Fluorobiphenyl	84		15-120
2,4,6-Tribromophenol	87		10-120
4-Terphenyl-d14	101		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/24/20 13:21
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/23/20 17:59

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 04,07 Batch: WG1364022-1					
Acenaphthene	ND		ug/l	2.0	--
Benzidine	ND		ug/l	20	--
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Hexachlorobenzene	ND		ug/l	2.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
2-Chloronaphthalene	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
Fluoranthene	ND		ug/l	2.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorobutadiene	ND		ug/l	2.0	--
Hexachlorocyclopentadiene	ND		ug/l	20	--
Hexachloroethane	ND		ug/l	2.0	--
Isophorone	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.0	--
Nitrobenzene	ND		ug/l	2.0	--
NDPA/DPA	ND		ug/l	2.0	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/24/20 13:21
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/23/20 17:59

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 04,07 Batch: WG1364022-1					
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Benzo(a)anthracene	ND		ug/l	2.0	--
Benzo(a)pyrene	ND		ug/l	2.0	--
Benzo(b)fluoranthene	ND		ug/l	2.0	--
Benzo(k)fluoranthene	ND		ug/l	2.0	--
Chrysene	ND		ug/l	2.0	--
Acenaphthylene	ND		ug/l	2.0	--
Anthracene	ND		ug/l	2.0	--
Benzo(ghi)perylene	ND		ug/l	2.0	--
Fluorene	ND		ug/l	2.0	--
Phenanthrene	ND		ug/l	2.0	--
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--
Pyrene	ND		ug/l	2.0	--
Biphenyl	ND		ug/l	2.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
1-Methylnaphthalene	ND		ug/l	2.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
2-Methylnaphthalene	ND		ug/l	2.0	--
n-Nitrosodimethylamine	ND		ug/l	2.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
p-Chloro-m-cresol	ND		ug/l	2.0	--
2-Chlorophenol	ND		ug/l	2.0	--

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/24/20 13:21
Analyst: JG

Extraction Method: EPA 3510C
Extraction Date: 04/23/20 17:59

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 04,07 Batch: WG1364022-1					
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
4,6-Dinitro-o-cresol	ND		ug/l	10	--
Pentachlorophenol	ND		ug/l	10	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	2.0	--
Carbazole	ND		ug/l	2.0	--
Pyridine	ND		ug/l	3.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		21-120
Phenol-d6	41		10-120
Nitrobenzene-d5	64		23-120
2-Fluorobiphenyl	63		15-120
2,4,6-Tribromophenol	42		10-120
4-Terphenyl-d14	68		41-149

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/27/20 12:32
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05-06 Batch: WG1364446-1					
Acenaphthene	ND		ug/l	2.0	--
Benzidine	ND		ug/l	20	--
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Hexachlorobenzene	ND		ug/l	2.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
2-Chloronaphthalene	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
Fluoranthene	ND		ug/l	2.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorobutadiene	ND		ug/l	2.0	--
Hexachlorocyclopentadiene	ND		ug/l	20	--
Hexachloroethane	ND		ug/l	2.0	--
Isophorone	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.0	--
Nitrobenzene	ND		ug/l	2.0	--
NDPA/DPA	ND		ug/l	2.0	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/27/20 12:32
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05-06 Batch: WG1364446-1					
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Benzo(a)anthracene	ND		ug/l	2.0	--
Benzo(a)pyrene	ND		ug/l	2.0	--
Benzo(b)fluoranthene	ND		ug/l	2.0	--
Benzo(k)fluoranthene	ND		ug/l	2.0	--
Chrysene	ND		ug/l	2.0	--
Acenaphthylene	ND		ug/l	2.0	--
Anthracene	ND		ug/l	2.0	--
Benzo(ghi)perylene	ND		ug/l	2.0	--
Fluorene	ND		ug/l	2.0	--
Phenanthrene	ND		ug/l	2.0	--
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--
Pyrene	ND		ug/l	2.0	--
Biphenyl	ND		ug/l	2.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
1-Methylnaphthalene	ND		ug/l	2.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
2-Methylnaphthalene	ND		ug/l	2.0	--
n-Nitrosodimethylamine	ND		ug/l	2.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
p-Chloro-m-cresol	ND		ug/l	2.0	--
2-Chlorophenol	ND		ug/l	2.0	--

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/27/20 12:32
Analyst: SZ

Extraction Method: EPA 3510C
Extraction Date: 04/24/20 23:50

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05-06 Batch: WG1364446-1					
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
4,6-Dinitro-o-cresol	ND		ug/l	10	--
Pentachlorophenol	ND		ug/l	10	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	2.0	--
Carbazole	ND		ug/l	2.0	--
Pyridine	ND		ug/l	3.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	71		21-120
Phenol-d6	58		10-120
Nitrobenzene-d5	78		23-120
2-Fluorobiphenyl	78		15-120
2,4,6-Tribromophenol	60		10-120
4-Terphenyl-d14	93		41-149

Lab Control Sample Analysis

Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,07 Batch: WG1364022-2 WG1364022-3								
Acenaphthene	70		70		37-111	0		30
Benzidine	0	Q	0	Q	10-75	NC		30
1,2,4-Trichlorobenzene	69		69		39-98	0		30
Hexachlorobenzene	67		66		40-140	2		30
Bis(2-chloroethyl)ether	76		77		40-140	1		30
2-Chloronaphthalene	72		74		40-140	3		30
1,2-Dichlorobenzene	68		68		40-140	0		30
1,3-Dichlorobenzene	67		65		40-140	3		30
1,4-Dichlorobenzene	67		68		36-97	1		30
3,3'-Dichlorobenzidine	53		0	Q	40-140	NC		30
2,4-Dinitrotoluene	67		68		48-143	1		30
2,6-Dinitrotoluene	72		73		40-140	1		30
Azobenzene	78		78		40-140	0		30
Fluoranthene	64		64		40-140	0		30
4-Chlorophenyl phenyl ether	69		69		40-140	0		30
4-Bromophenyl phenyl ether	69		69		40-140	0		30
Bis(2-chloroisopropyl)ether	86		89		40-140	3		30
Bis(2-chloroethoxy)methane	78		79		40-140	1		30
Hexachlorobutadiene	66		66		40-140	0		30
Hexachlorocyclopentadiene	62		63		40-140	2		30
Hexachloroethane	71		70		40-140	1		30
Isophorone	76		78		40-140	3		30
Naphthalene	70		72		40-140	3		30

Lab Control Sample Analysis Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,07 Batch: WG1364022-2 WG1364022-3								
Nitrobenzene	75		78		40-140	4		30
NDPA/DPA	72		71		40-140	1		30
n-Nitrosodi-n-propylamine	80		81		29-132	1		30
Bis(2-ethylhexyl)phthalate	73		77		40-140	5		30
Butyl benzyl phthalate	63		68		40-140	8		30
Di-n-butylphthalate	64		68		40-140	6		30
Di-n-octylphthalate	69		75		40-140	8		30
Diethyl phthalate	78		77		40-140	1		30
Dimethyl phthalate	78		76		40-140	3		30
Benzo(a)anthracene	66		67		40-140	2		30
Benzo(a)pyrene	62		65		40-140	5		30
Benzo(b)fluoranthene	65		67		40-140	3		30
Benzo(k)fluoranthene	66		73		40-140	10		30
Chrysene	70		72		40-140	3		30
Acenaphthylene	74		74		45-123	0		30
Anthracene	65		64		40-140	2		30
Benzo(ghi)perylene	66		70		40-140	6		30
Fluorene	73		72		40-140	1		30
Phenanthrene	62		62		40-140	0		30
Dibenzo(a,h)anthracene	66		71		40-140	7		30
Indeno(1,2,3-cd)pyrene	65		66		40-140	2		30
Pyrene	61		62		26-127	2		30
Biphenyl	70		71		40-140	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,07 Batch: WG1364022-2 WG1364022-3								
Aniline	31	Q	0	Q	40-140	NC		30
4-Chloroaniline	57		20	Q	40-140	96	Q	30
1-Methylnaphthalene	73		73		41-103	0		30
2-Nitroaniline	66		67		52-143	2		30
3-Nitroaniline	56		36		25-145	43	Q	30
4-Nitroaniline	57		50	Q	51-143	13		30
Dibenzofuran	71		71		40-140	0		30
2-Methylnaphthalene	71		73		40-140	3		30
n-Nitrosodimethylamine	53		56		22-74	6		30
2,4,6-Trichlorophenol	68		68		30-130	0		30
p-Chloro-m-cresol	75		75		23-97	0		30
2-Chlorophenol	70		72		27-123	3		30
2,4-Dichlorophenol	73		76		30-130	4		30
2,4-Dimethylphenol	60		77		30-130	25		30
2-Nitrophenol	69		69		30-130	0		30
4-Nitrophenol	67		70		10-80	4		30
2,4-Dinitrophenol	70		77		20-130	10		30
4,6-Dinitro-o-cresol	74		74		20-164	0		30
Pentachlorophenol	60		64		9-103	6		30
Phenol	49		48		12-110	2		30
2-Methylphenol	69		71		30-130	3		30
3-Methylphenol/4-Methylphenol	69		71		30-130	3		30
2,4,5-Trichlorophenol	74		73		30-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,07 Batch: WG1364022-2 WG1364022-3								
Benzoic Acid	63		85		10-164	30		30
Benzyl Alcohol	68		68		26-116	0		30
Carbazole	63		63		55-144	0		30
Pyridine	15		0	Q	10-66	NC		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	60		61		21-120
Phenol-d6	51		50		10-120
Nitrobenzene-d5	74		74		23-120
2-Fluorobiphenyl	67		64		15-120
2,4,6-Tribromophenol	66		65		10-120
4-Terphenyl-d14	64		67		41-149

Lab Control Sample Analysis Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05-06 Batch: WG1364446-2 WG1364446-3								
Acenaphthene	83		84		37-111	1		30
Benzidine	4	Q	5	Q	10-75	17		30
1,2,4-Trichlorobenzene	79		74		39-98	7		30
Hexachlorobenzene	75		76		40-140	1		30
Bis(2-chloroethyl)ether	88		83		40-140	6		30
2-Chloronaphthalene	83		77		40-140	8		30
1,2-Dichlorobenzene	79		75		40-140	5		30
1,3-Dichlorobenzene	78		73		40-140	7		30
1,4-Dichlorobenzene	79		74		36-97	7		30
3,3'-Dichlorobenzidine	67		69		40-140	3		30
2,4-Dinitrotoluene	75		78		48-143	4		30
2,6-Dinitrotoluene	79		74		40-140	7		30
Azobenzene	91		91		40-140	0		30
Fluoranthene	89		91		40-140	2		30
4-Chlorophenyl phenyl ether	79		80		40-140	1		30
4-Bromophenyl phenyl ether	75		77		40-140	3		30
Bis(2-chloroisopropyl)ether	100		96		40-140	4		30
Bis(2-chloroethoxy)methane	90		84		40-140	7		30
Hexachlorobutadiene	72		68		40-140	6		30
Hexachlorocyclopentadiene	63		56		40-140	12		30
Hexachloroethane	81		74		40-140	9		30
Isophorone	87		87		40-140	0		30
Naphthalene	82		76		40-140	8		30

Lab Control Sample Analysis **Batch Quality Control**

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05-06 Batch: WG1364446-2 WG1364446-3								
Nitrobenzene	90		85		40-140	6		30
NDPA/DPA	85		87		40-140	2		30
n-Nitrosodi-n-propylamine	92		89		29-132	3		30
Bis(2-ethylhexyl)phthalate	80		84		40-140	5		30
Butyl benzyl phthalate	76		79		40-140	4		30
Di-n-butylphthalate	84		84		40-140	0		30
Di-n-octylphthalate	73		76		40-140	4		30
Diethyl phthalate	86		87		40-140	1		30
Dimethyl phthalate	84		82		40-140	2		30
Benzo(a)anthracene	84		87		40-140	4		30
Benzo(a)pyrene	83		89		40-140	7		30
Benzo(b)fluoranthene	89		95		40-140	7		30
Benzo(k)fluoranthene	83		87		40-140	5		30
Chrysene	91		94		40-140	3		30
Acenaphthylene	84		79		45-123	6		30
Anthracene	91		94		40-140	3		30
Benzo(ghi)perylene	87		95		40-140	9		30
Fluorene	86		85		40-140	1		30
Phenanthrene	89		92		40-140	3		30
Dibenzo(a,h)anthracene	85		92		40-140	8		30
Indeno(1,2,3-cd)pyrene	78		86		40-140	10		30
Pyrene	86		88		26-127	2		30
Biphenyl	79		74		40-140	7		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05-06 Batch: WG1364446-2 WG1364446-3								
Aniline	30	Q	34	Q	40-140	13		30
4-Chloroaniline	61		68		40-140	11		30
1-Methylnaphthalene	85		80		41-103	6		30
2-Nitroaniline	73		73		52-143	0		30
3-Nitroaniline	59		62		25-145	5		30
4-Nitroaniline	67		68		51-143	1		30
Dibenzofuran	83		83		40-140	0		30
2-Methylnaphthalene	82		78		40-140	5		30
n-Nitrosodimethylamine	60		58		22-74	3		30
2,4,6-Trichlorophenol	73		70		30-130	4		30
p-Chloro-m-cresol	85		84		23-97	1		30
2-Chlorophenol	82		80		27-123	2		30
2,4-Dichlorophenol	84		80		30-130	5		30
2,4-Dimethylphenol	78		69		30-130	12		30
2-Nitrophenol	77		72		30-130	7		30
4-Nitrophenol	79		78		10-80	1		30
2,4-Dinitrophenol	69		70		20-130	1		30
4,6-Dinitro-o-cresol	77		79		20-164	3		30
Pentachlorophenol	64		61		9-103	5		30
Phenol	62		60		12-110	3		30
2-Methylphenol	83		80		30-130	4		30
3-Methylphenol/4-Methylphenol	88		87		30-130	1		30
2,4,5-Trichlorophenol	82		80		30-130	2		30

Lab Control Sample Analysis **Batch Quality Control**

Project Name: WAYLAND HIGH SCHOOL

Project Number: ENG20-0296

Lab Number: L2016706

Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05-06 Batch: WG1364446-2 WG1364446-3								
Benzoic Acid	0	Q	0	Q	10-164	NC		30
Benzyl Alcohol	76		76		26-116	0		30
Carbazole	91		93		55-144	2		30
Pyridine	15		21		10-66	33	Q	30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	73		70		21-120
Phenol-d6	64		63		10-120
Nitrobenzene-d5	86		82		23-120
2-Fluorobiphenyl	76		72		15-120
2,4,6-Tribromophenol	75		73		10-120
4-Terphenyl-d14	87		89		41-149

METALS

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-01

Date Collected: 04/22/20 10:40

Client ID: MW-1

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	ND		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Copper, Total	0.00131		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Silica, Total	10.5		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 11:37	EPA 3005A	1,6010D	LC
Zinc, Total	ND		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 11:33	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	111		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 11:37	EPA 3005A	1,6010D	LC



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-02

Date Collected: 04/22/20 09:45

Client ID: MW-5

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.02023		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Cadmium, Total	0.00031		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Chromium, Total	0.02520		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Copper, Total	0.04852		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Lead, Total	0.01720		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Silica, Total	55.3		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 11:55	EPA 3005A	1,6010D	LC
Zinc, Total	0.05600		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:12	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	280		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 11:55	EPA 3005A	1,6010D	LC



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-03

Date Collected: 04/22/20 10:55

Client ID: DISCHARGE PIPE

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	ND		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Copper, Total	0.00137		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Silica, Total	5.46		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 12:00	EPA 3005A	1,6010D	LC
Zinc, Total	ND		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:17	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	104		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 12:00	EPA 3005A	1,6010D	LC



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-04

Date Collected: 04/22/20 11:15

Client ID: CLEANOUT 1

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00050		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Silica, Total	1.35		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 12:18	EPA 3005A	1,6010D	LC
Zinc, Total	0.02697		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:22	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	18.7		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 12:18	EPA 3005A	1,6010D	LC



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-05

Date Collected: 04/22/20 11:40

Client ID: CLEANOUT 2

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00070		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Silica, Total	1.64		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 12:23	EPA 3005A	1,6010D	LC
Zinc, Total	0.03587		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	20.5		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 12:23	EPA 3005A	1,6010D	LC



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-06

Date Collected: 04/22/20 12:05

Client ID: CLEANOUT 3

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00108		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Silica, Total	2.33		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6010D	BV
Zinc, Total	ND		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	23.9		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 12:27	EPA 3005A	1,6010D	BV



Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**SAMPLE RESULTS**

Lab ID: L2016706-07

Date Collected: 04/22/20 12:35

Client ID: CLEANOUT 4

Date Received: 04/22/20

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00122		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Silica, Total	2.97		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6010D	BV
Zinc, Total	ND		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 12:38	EPA 3005A	1,6020B	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	28.9		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 12:32	EPA 3005A	1,6010D	BV



Project Name: WAYLAND HIGH SCHOOL

Lab Number: L2016706

Project Number: ENG20-0296

Report Date: 04/29/20

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-07 Batch: WG1363871-1										
Arsenic, Total	ND		mg/l	0.00050	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM
Chromium, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM
Zinc, Total	ND		mg/l	0.01000	--	1	04/23/20 15:54	04/28/20 10:06	1,6020B	AM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-07 Batch: WG1363876-1										
Silica, Total	ND		mg/l	0.500	--	1	04/23/20 15:54	04/28/20 11:23	1,6010D	LC

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01-07 Batch: WG1363876-1										
Hardness	ND		mg/l	0.660	NA	1	04/23/20 15:54	04/28/20 11:23	1,6010D	LC

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-07 Batch: WG1363871-2								
Arsenic, Total	112		-		80-120	-		
Cadmium, Total	104		-		80-120	-		
Chromium, Total	105		-		80-120	-		
Copper, Total	99		-		80-120	-		
Lead, Total	113		-		80-120	-		
Zinc, Total	103		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01-07 Batch: WG1363876-2								
Silica, Total	98		-		80-120	-		
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-07 Batch: WG1363876-2								
Hardness	101		-		80-120	-		

Matrix Spike Analysis Batch Quality Control

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-07 QC Batch ID: WG1363871-3 WG1363871-4 QC Sample: L2016707-01 Client ID: MS Sample												
Arsenic, Total	0.00268	0.12	0.1374	112		0.1303	106		75-125	5		20
Cadmium, Total	ND	0.051	0.05749	113		0.05233	103		75-125	9		20
Chromium, Total	0.01734	0.2	0.2260	104		0.2205	102		75-125	2		20
Copper, Total	0.00424	0.25	0.2507	98		0.2548	100		75-125	2		20
Lead, Total	0.00218	0.51	0.5806	113		0.5689	111		75-125	2		20
Zinc, Total	ND	0.5	0.5420	108		0.5276	106		75-125	3		20
Total Metals - Mansfield Lab Associated sample(s): 01-07 QC Batch ID: WG1363876-3 QC Sample: L2016706-01 Client ID: MW-1												
Silica, Total	10.5	2.14	11.9	65	Q	-	-		75-125	-		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-07 QC Batch ID: WG1363876-3 QC Sample: L2016706-01 Client ID: MW-1												
Hardness	111	66.2	178	101		-	-		75-125	-		20

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Duplicate Analysis

Batch Quality Control

Lab Number: L2016706
Report Date: 04/29/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-07 QC Batch ID: WG1363876-4 QC Sample: L2016706-01 Client ID: MW-1						
Silica, Total	10.5	10.4	mg/l	1		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-07 QC Batch ID: WG1363876-4 QC Sample: L2016706-01 Client ID: MW-1						
Hardness	111	110	mg/l	1		20

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2016706-01A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-01B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-01C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-01D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),ZN-6020T(180),CU-6020T(180),PB-6020T(180),SO-TI(180),AS-6020T(180),CD-6020T(180),HARDT(180)
L2016706-01E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-01F	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-02A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-02B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-02C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-02D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),CU-6020T(180),ZN-6020T(180),PB-6020T(180),SO-TI(180),AS-6020T(180),CD-6020T(180),HARDT(180)
L2016706-02E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-02F	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-03A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-03B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-03C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-03D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),ZN-6020T(180),CU-6020T(180),PB-6020T(180),SO-TI(180),AS-6020T(180),CD-6020T(180),HARDT(180)
L2016706-03E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-03F	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-04A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-04B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)

Project Name: WAYLAND HIGH SCHOOL**Lab Number:** L2016706**Project Number:** ENG20-0296**Report Date:** 04/29/20**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2016706-04C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-04D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),ZN-6020T(180),CU-6020T(180),PB-6020T(180),AS-6020T(180),SO-TI(180),CD-6020T(180),HARDT(180)
L2016706-04E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-05A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-05B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-05C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-05D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),CU-6020T(180),ZN-6020T(180),PB-6020T(180),AS-6020T(180),SO-TI(180),CD-6020T(180),HARDT(180)
L2016706-05E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-05F	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-06A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-06B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-06C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-06D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),ZN-6020T(180),CU-6020T(180),PB-6020T(180),SO-TI(180),AS-6020T(180),CD-6020T(180),HARDT(180)
L2016706-06E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-06F	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-07A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-07B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-07C	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-07D	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		CR-6020T(180),CU-6020T(180),ZN-6020T(180),PB-6020T(180),AS-6020T(180),SO-TI(180),CD-6020T(180),HARDT(180)
L2016706-07E	Amber 250ml unpreserved	A	7	7	3.3	Y	Absent		8270TCL-LVI(7)
L2016706-08A	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)
L2016706-08B	Vial HCl preserved	A	NA		3.3	Y	Absent		8260(14)

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

Report Format: Data Usability Report



Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e., co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less

Report Format: Data Usability Report



Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

Data Qualifiers

than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

Project Name: WAYLAND HIGH SCHOOL
Project Number: ENG20-0296

Lab Number: L2016706
Report Date: 04/29/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 17

Published Date: 4/28/2020 9:42:21 AM

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624/624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**EPA TO-12** Non-methane organics**EPA 3C** Fixed gases**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg. **EPA 522.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1** Hg.**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



8 Walkup Drive
Westboro, MA 01581
Tel: 508-898-9220

320 Forbes Blvd
Mansfield, MA 02048
Tel: 508-822-9300

CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 4/22/20

ALPHA Job #: L2016706

Project Information

Project Name: Wayland High School

Project Location: Wayland, MA

Project #: ENG20-0296

Project Manager:

ALPHA Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)

Date Due:

Report Information - Data Deliverables

☐ ADEx ☒ EMAIL

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements & Project Information Requirements

☐ Yes ☐ No MA MCP Analytical Methods ☐ Yes ☐ No CT RCP Analytical Methods
☐ Yes ☐ No Matrix Spike Required on this SDG? (Required for MCP Inorganics)
☐ Yes ☐ No GW1 Standards (Info Required for Metals & EPH with Targets)
☐ Yes ☐ No NPDES RGP
☐ Other State /Fed Program Criteria

Client Information

Client: Weston & Sampson Inc

Address: 65 Walkers Brook Drive
Suite 100, Reading MA 01867

Phone: 978-5322-1900

Email: mackinnk@wseinc.com
getchellj@wseinc.com

Additional Project Information:

Filled bottles for Cleanout 1, Cleanout 3
+ Cleanout 4 until location went dry.
Not able to fill all bottles completely.

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials	VOC:	SVOC:	METAL	METAL	EPH: <input type="checkbox"/>	VPH: <input type="checkbox"/>	<input type="checkbox"/> PCB	TPH: <input type="checkbox"/>	Cr																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
--------------------------------	-----------	------------	--	---------------	------------------	------	-------	-------	-------	-------------------------------	-------------------------------	------------------------------	-------------------------------	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Container Type

P= Plastic
A= Amber glass
V= Vial
G= Glass
B= Bacteria cup
C= Cube
O= Other
E= Encore
D= BOD Bottle

Preservative

A= None
B= HCl
C= HNO₃
D= H₂SO₄
E= NaOH
F= MeOH
G= NaHSO₄
H= Na₂S₂O₃
I= Ascorbic Acid
J= NH₄Cl
K= Zn Acetate
O= Other

Container Type

Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Form NO: 01-01 (rev. 12-Mar-2012)